



Up-to-date Questions and Answers from authentic resources to improve knowledge and pass the exam at very first attempt. ----- Guaranteed.



4A0-M01 Dumps
4A0-M01 Braindumps
4A0-M01 Real Questions
4A0-M01 Practice Test
4A0-M01 Actual Questions



killexams.com

Alcatel-Lucent

4A0-M01


Alcatel-Lucent IP/MPLS Mobile Backhaul Transport

ORDER FULL VERSION

<https://killexams.com/pass4sure/exam-detail/4A0-M01>



QUESTION: 139
Click on the exhibit.




Each numbered item, 1, 2, 3, and 4, represents a message exchanged between an IEEE 1588v2/Precision Time Protocol (PTP) v2 master and slave. With which message does the master pass its t_1 timestamp to the slave clock at item 2?

- A. Announce
- B. Delay_request
- C. Delay_response
- D. Sync

Answer: D

QUESTION: 140
Click on the exhibit.



You wish to configure a preferred and a secondary static route on CSA1, targeting the MLS1 system interface. The preferred route must forward packets over the preferred route path as shown in the diagram. Given the following:

- BFD must be enabled on the preferred route
- BFD is configured on the interfaces
- The BFD interface transmit and receiver timers are 500 ms
- The BFD interface multiplier is 3
- The CSA1 router must choose the preferred route in normal operations

Which command example correctly configures the PREFERRED static route on CSA1?

- A. configure router static-route 192.0.2.0/32 next-hop 192.0.2.0 bfd-enable
- B. configure router static-route 192.0.2.0/32 next-hop 192.0.2.5 bfd-enable
- C. configure router static-route 192.0.2.5/30 next-hop 192.0.2.5 500 receive 500 multiplier 3
- D. configure router static-route 192.0.2.0/32 next-hop 192.0.2.13 bfd-enable precedence 10

Answer: B

QUESTION: 141

Click on the exhibit.

```

#-----
echo "IP Configuration"
#-----
interface "CSA1_MLS1"
  address 192.0.2.17/31
  ldp-sync-timer 45
  port 1/2/7
  bfd 300 receive 300 multiplier 3
exit
interface "CSA1_MLS2"
  address 192.0.2.19/31
  ldp-sync-timer 60
  port 1/2/8
  bfd 500 receive 500 multiplier 3
exit
interface "system"
  address 192.0.2.2/32
exit
#-----
echo "Static Route Configuration"
#-----
static-route 192.0.2.0/32 next-hop 192.0.2.18 preference 10
static-route 192.0.2.0/32 next-hop 192.0.2.16 bfd-enable ldp-sync
static-route 192.0.2.1/32 next-hop 192.0.2.16 preference 10
static-route 192.0.2.1/32 next-hop 192.0.2.18 bfd-enable ldp-sync
...

```

Given the configuration shown, and the following condition:

- The next hop interface on the preferred path to prefix 192.0.2.0/32 failed
- Label Distribution Protocol (LDP) is enabled on the interfaces


How long does the router wait before it moves traffic to the secondary route for this prefix?

- A. 900 ms
- B. 1.5 seconds
- C. 45 seconds
- D. 60 seconds

Answer: A

QUESTION: 142

Click on the exhibit



Given the diagram and the following information:

- Virtual Private Routed Network (VPRN) 5 spans the routers Point of Concentration (POC) 3-1 and 3-2 and the Multilevel Switch (MLS) routers MLS1 and MLS2
- Multiprotocol Border Gateway Protocol (MP-BGP) is configured and operational
- Pseudowire status is signaled, as shown, on the ePipe/VPRN spoke Service Distribution Points (SDPs)

What might you configure on the services illustrated to hold down the primary VPRN NodeB loopback interface static route in case of an intermittent or rapid spoke SDP failure and recovery?

- Set port hold down timers on the CSA to POC3-1 link
- Configure Label Distribution Protocol (LDP) Sync on the VPRN static routes
- Enable BGP next-hop tracking in the VPRN BGP peer groups
- Set a revert timer value on the CSA ePipe 50 endpoint

Answer: A

QUESTION: 143

Which three are components found in the backhaul transport Mobile Telephone Switching Office (MTSO) functional area? (Choose 3)

- A. 2G Base Station Transceiver (BTS)
- B. LTE Radio Network Controller (RNC)
- C. EV-DO Radio Network Controller (RNC)
- D. MSP Aggregation Gateway (MG)
- E. GSM Base Station Controller (BSC)
- F. Ethernet over SONET (EoS) UNI

Answer: C, D, E

QUESTION: 144


In a Mobile Service Provider (MSP) network, which device aggregates traffic for delivery to the control elements?

- A. BTP Aggregation Gateway (BG)
- B. BTP Termination Device (BT)
- C. MSP Aggregation Gateway (MG)
- D. MSP Termination Device (MT)

Answer: C

QUESTION: 145

Click on the exhibit.



Given the topology shown:

Which Border Gateway Protocol (BGP) feature must be configured on MLS1 and MLS2 to allow them to act as iBGP route reflectors?

- A. BGP peer tracking
- B. Cluster IDs
- C. BGP Route Reflection

D. Autonomous System (AS) Number

Answer: B

QUESTION: 146

Which statement describes an instance where a control word would be required in an aPipe service?

- A. ATM cell mode is used to map multiple virtual circuits into a single aPipe service
- B. The aPipe service transports concatenated cells from an entire virtual path
- C. The service carries just the cell payload and Equal Cost Multipath (ECMP) is used in the transport
- D. A cell mode service must map different ATM virtual circuits to a service based on Quality of Service (QoS) profiles

Answer: C

QUESTION: 147

The 3rd Generation Partnership Project (3GPP) wireless standards cover which three technologies? (Choose three.)

- A. 2G Global Systems for Mobile (GSM)
- B. 2G Code Division Multiple Access (CDMA)
- C. 3G Universal Mobile Telecommunications System (UMTS)
- D. 3G Evolution-Data Optimized (EV-DO)
- E. 4G Long Term Evolution (LTE)
- F. 3G High Rate Packet Data (HRPD)

Answer: A, C, E

QUESTION: 148

Click on the exhibit.


```
A:MLS2# show port 1/2/2.3.4.2.1

=====
TDM DS0 Chan Group
=====
Description      : DS0GRP
Interface        : 1/2/2.3.4.2.1
TimeSlots       : 1-24
Speed           : 64
Admin Status    : up
BER SF Link Down : disabled
Last State Change : 11/15/2011 13:01:18
CRC             : 32
Oper Status     : up
Chan-Grp IfIndex : 574686332

Configured mode  : access
Admin MTU       : 1524
Scramble        : true
Physical Link    : yes
Idle Cycle Flags : n/a
Payload Fill Type : n/a
Signal Fill Type : n/a
Ing. Pool % Rate : 100
Egr. Sched. Pol : N/A

Encap Type      : atm
Oper MTU       : 1524
Bundle Number   : none
Load-balance-algo : Default
Payload Pattern  : N/A
Signal Pattern   : N/A
Egr. Pool % Rate : 100

=====
...output truncated
```

Given the following:


- On the OC-3 port, each provisioned channel group contains all available timeslots.
The command result illustrates which OC-3 port characteristic?

- A. On STS1-3,the second DS1 channel group in the fourth VTG is set for atm encapsulation
- B. On STS1-3, the second E1 channelgroup in the fourth VTG uses onlythe first 24 timeslots
- C. On STS1 -3, the second DS1 channel group i n the fourth TUG-2 is set for 32 timeslots
- D. On STS1-3, the second VT2 in the fourth TUG-2 is set for atm encapsulation

Answer: A

QUESTION: 149

Click on the exhibit.



Given the topology shown:

Which timing solution would deliver time of day information to the NodeB connected to the ATM/IMA link labeled 4 in the diagram?

- A. TDM Line Timing
- B. Adaptive clock recovery (ACR)
- C. Synchronous Ethernet
- D. Global Positioning System (GPS)

Answer: D

QUESTION: 150

Click on the exhibit.

```
A:MLS2# show multilink-bundle bundle-ppp-1/2.1 detail
```

Bundle bundle-ppp-1/2.1 Detail							
Description	: Multilink Bundle			Type	: mlppp		
Bundle Id	: bundle-ppp-1/2.1			Oper Status	: down		
Admin Status	: up			Bundle IfIndex	: 574619649		
Minimum Links	: 1			Active Links	: 2		
Total Links	: 3			Yellow Diff Delay	: 0		
Red Diff Delay	: 0			MRRU	: 1524		
Red Diff Delay Act	: none			Oper MRRU	: 1524		
Short Sequence	: true			Fragment Threshold	: 128 bytes		
Oper MTU	: 1602			Bandwidth	: 0 KBit		
Up Time	: N/A			Primary Member Port	: 1/2/1.1.1.1		
PPP Input Discards	: 0						
Mode	: access						
Interleave-Frag	: false						

Member Port Id	#TS	Admin	Oper	Act	Down Reason	Up Time
1/2/1.1.1.1.1	31	up	up	yes	N/A	0d 00:09:57
1/2/1.1.1.2.1	31	up	up	yes	N/A	0d 00:09:57
1/2/1.1.1.3.1	31	up	up	no	under negotiation	N/A

... output truncated

Which condition would cause the bundle Oper Status: shown?

- A. The bundle local and remote peer endpoint discriminators are mismatched
- B. The bundle remote peer Layer 3 (L3) interface is down
- C. The local and remote bundle MRRU values are mismatched
- D. The ML-PPP bundle member links have dropped below the minimum threshold

Answer: B



KILL EXAMS

KILLEXAMS.COM

SAMPLE QUESTIONS



*These questions are for demo purpose only. **Full version** is up to date and contains actual questions and answers.*

Killexams.com is an online platform that offers a wide range of services related to certification exam preparation. The platform provides actual questions, exam dumps, and practice tests to help individuals prepare for various certification exams with confidence. Here are some key features and services offered by Killexams.com:



Actual Exam Questions: *Killexams.com provides actual exam questions that are experienced in test centers. These questions are updated regularly to ensure they are up-to-date and relevant to the latest exam syllabus. By studying these actual questions, candidates can familiarize themselves with the content and format of the real exam.*

Exam Dumps: *Killexams.com offers exam dumps in PDF format. These dumps contain a comprehensive collection of questions and answers that cover the exam topics. By using these dumps, candidates can enhance their knowledge and improve their chances of success in the certification exam.*

Practice Tests: *Killexams.com provides practice tests through their desktop VCE exam simulator and online test engine. These practice tests simulate the real exam environment and help candidates assess their readiness for the actual exam. The practice tests cover a wide range of questions and enable candidates to identify their strengths and weaknesses.*

Guaranteed Success: *Killexams.com offers a success guarantee with their exam dumps. They claim that by using their materials, candidates will pass their exams on the first attempt or they will refund the purchase price. This guarantee provides assurance and confidence to individuals preparing for certification exams.*

Updated Content: *Killexams.com regularly updates its question bank and exam dumps to ensure that they are current and reflect the latest changes in the exam syllabus. This helps candidates stay up-to-date with the exam content and increases their chances of success.*

Technical Support: *Killexams.com provides free 24x7 technical support to assist candidates with any queries or issues they may encounter while using their services. Their certified experts are available to provide guidance and help candidates throughout their exam preparation journey.*

For More exams visit <https://killexams.com/vendors-exam-list>
Kill your exam at First Attempt....Guaranteed!